



Invitation for Bid

Sealed Bid Sale

Sale Number
38-4626

MISC. ELECTRONIC EQUIPMENT

**Please be aware that the inventory is not being sold by a DRMO.
Any questions or comments please contact the
Sales Contracting Officer, Linda Lamphear at (269) 961-7400.**

Bid Opening Date and Time

January 27, 2004; at 9:00 A.M. (EST/EDST)

Inspection Period Begins:
January 20, 2004

Payment in Full Must Be
Received Prior to
Removal/Release of Property



Department of Defense
Defense Reutilization and Marketing Service
National Sales Office

Invitation For Bid
Sale Number
38-4626

Bid Opening Date
January 27, 2004; at 9:00 A.M. (EST/EDST)

Bids will be accepted until opening date and time set for Bid opening.
Bids and all required documentation received after the bid opening date
may be determined late and not considered.

The bid acceptance period must be at least 10 days from the bid opening
or the bid will be considered nonresponsive.

Mail bids to:
Defense Reutilization and Marketing Service
National Sales Office - Bids
74 Washington Ave N STE 6
Battle Creek, MI 49017-3092

Fax bids to:
(269) 961-7568

Place bids electronically and view bid results at:
<http://www.drms.dla.mil>

Sales Contracting Officer (SCO) for this sale is:
Linda Lamphear, (269) 961-7400

Office Hours: 7:30 a.m. to 4:00 p.m. (EST/EDST)
Monday - Friday

PRIOR TO BID OPENING DATE:

For current and future sales information contact 1-888-352-9333. For How to Bid information contact the
Contracting Officer at (269) 961-7400

AFTER BID OPENING DATE:

For High Bid Information, which will not be furnished to bidders until after awards have been made (see
paragraph 3, page 3 of Sale by Reference), payments and refunds contact 1-888-352-9333

Unofficial abstracts are available for download/viewing at the DRMS Web site: www.drms.dla.mil

EXCHANGE SALE: This property is being offered in accordance with the exchange/sale provisions of Section
201(c) of the Federal Property and Administrative Services Act of 1949 Stat.384 as amended (40 U.S.C.481c).

Payments

All payments must be made in U.S. currency or guaranteed instrument payable in
U.S. dollars to the Treasurer of the United States.

For additional information refer to the payment article in the Conditions of Sale in this catalog.

Credit cards accepted: VISA, Discover, MasterCard and American Express

Table of Contents

	Page Number
Item Description Index.....	.2
List of Sale Items	5
Additional General Information and Instructions (DRMS Form 82-3 May 89 EF)	22
Supply Condition Codes/Demilitarization Codes/Requirements.....	24
Conditions of Sale (DRMS Form 83 Jan 98 Computer Generated)	25
Articles	26
Inspection Dates and Times	28
Loading Table/Notes	29
Sale of Government Property Item Bid and Award Page	30
Credit Card Information	32
Letter of Authorization (DRMS Form 1646 Apr 2002).....	33
End Use Certificate (DLA Form 1822).....	34
Instructions for Completing DLA Form 1822.....	36

Item Description Index

<u>Description</u>	<u>Item Number</u>
ANALYZER, CAPACITOR INDUCTOR	20
ANALYZER, DIGITAL DATA, ELECTRONIC TEST	77
ANALYZER, DIGITAL DATA, ELECTRONIC TEST	78
ANALYZER, DIGITAL DATA, ELECTRONIC TEST	125
ANALYZER, DIGITAL DATA, ELECTRONIC TEST	126
ANALYZER, SPECTRUM	102
BUS, PASSENGER	133
CALIBRATOR, VOLTAGE	128
CHASSIS, PLUG-IN UNIT, ELECTRICAL TEST	9
CHASSIS, PLUG-IN UNIT, ELECTRICAL TEST	92
EXTENDER CARD, ELECTRONIC TEST	89
EXTENDER CARD, ELECTRONIC TEST	90
EXTENDER CARD, ELECTRONIC TEST	91
FREQUENCY STANDARD	101
GENERATOR, FUNCTION, ANALOG COMPUTER	105
GENERATOR, FUNCTION, ANALOG COMPUTER	106
GENERATOR, FUNCTION, ELECTRONIC TEST	119
GENERATOR, FUNCTION, ELECTRONIC TEST	4
GENERATOR, PULSE	120
GENERATOR, SIGNAL	104
GENERATOR, SWEEP	27
GENERATOR, SWEEP	28
GENERATOR, SWEEP	29
GENERATOR, TIME CODE	83
INDUCTANCE, STANDARD, FIXED	23
INDUCTANCE, STANDARD, FIXED	24
METER, NULL	21
METER, POWER FACTOR	103
MULTIMETER	98
NETWORK ANALYZER	3
OSCILLOSCOPE	6
OSCILLOSCOPE	10
OSCILLOSCOPE	16
OSCILLOSCOPE	25
OSCILLOSCOPE	26
OSCILLOSCOPE	96
OSCILLOSCOPE	97
OSCILLOSCOPE	109
OSCILLOSCOPE	110
OSCILLOSCOPE	111
OSCILLOSCOPE	116
OSCILLOSCOPE	117
OSCILLOSCOPE	118
OSCILLOSCOPE	124

OSCILLOSCOPE	127
OSCILLOSCOPE MAINFRAME	7
OSCILLOSCOPE MAINFRAME	8
OSCILLOSCOPE MAINFRAME	100
OSCILLOSCOPE MAINFRAME	112
OSCILLOSCOPE MAINFRAME	113
OSCILLOSCOPE MAINFRAME	114
OSCILLOSCOPE MAINFRAME	115
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	30
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	31
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	32
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	33
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	34
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	35
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	36
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	37
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	38
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	39
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	40
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	41
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	42
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	43
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	44
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	45
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	46
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	47
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	48
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	49
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	50
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	51
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	52
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	53
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	54
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	55
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	56
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	57
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	58
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	59
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	60
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	61
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	62
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	63
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	64
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	65
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	66
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	67
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	68
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	69
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	70

PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	71
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	72
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	73
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	74
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	75
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	76
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	84
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	85
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	86
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	129
PLUG-IN UNIT, ELECTRONIC TEST EQUIPMENT	87
PLUG-IN UNIT, ELECTRONIC TEST EQUIPMENT	88
POWER SENSOR	107
POWER SENSOR	108
PRINTER THERMAL	81
PRINTER THERMAL	82
RACK, ELECTRICAL EQUIPMENT	93
RACK, ELECTRICAL EQUIPMENT	94
RACK, ELECTRICAL EQUIPMENT	95
REFLECTOMETER, METALLIC TIME DOMAIN	18
REFLECTOMETER, METALLIC TIME DOMAIN	19
RESISTOR, DECADE	22
SWITCH / ELECTRONIC	17
SYNTHESIZER, ELECTRICAL FREQUENCY	5
SYNTHESIZER, ELECTRICAL FREQUENCY	121
SYNTHESIZER, ELECTRICAL FREQUENCY	122
TEST SET, DATA TRANSMISSION LINE	99
TEST SET, DATA TRANSMISSION LINE	1
TEST SET, DATA TRANSMISSION LINE	2
TEST SET, ELECTRONIC SYSTEMS	79
TEST SET, ELECTRONIC SYSTEMS	80
TEST SET, ELECTRONIC SYSTEMS	130
TEST SET, TELECOMMUNICATION SYSTEM	11
TEST SET, TELECOMMUNICATION SYSTEM	12
TEST SET, TELECOMMUNICATION SYSTEM	13
TEST SET, TELECOMMUNICATION SYSTEM	14
TEST SET, TRANSMISSION LINE	15
VAN, CARGO	132
VAN, PASSENGER	131

IT HAS BEEN DETERMINED THAT THIS PROPERTY IS NO LONGER NEEDED BY THE FEDERAL GOVERNMENT.

Items 1 - 133 are located at 6730 Bay Meadow Drive, Glen Burnie, MD

1. TEST SET, DATA TRANSMISSION LINE

Hewlett Packard Company, model 4948A, serial number 2615U00241, diagnostic unit. Voicegrade modem traffic while still in service. AC voltage rating: 100 volts min/240 volts max. Frequency rating: 48 Hz min/66 Hz max. Overall dimensions: 23"L x 17"W x 6.5"H.

NSN: 6625-01-299-9831
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 30 lbs
Acq. Cost: \$12,500.00 1 EACH

2. TEST SET, DATA TRANSMISSION LINE

Hewlett Packard Company, model 4948A, serial number 2615U00239, diagnostic unit. Voicegrade modem traffic while still in service. AC voltage rating: 100 volts min/240 volts max. Frequency rating: 48 Hz min/66 Hz max. Overall dimensions: 23"L x 17"W x 6.5"H.

NSN: 6625-01-299-9831
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 30 lbs
Acq. Cost: \$12,500.00 1 EACH

3. NETWORK ANALYZER

Hewlett Packard Company, model 3577A, serial number 2912A14144AC. Frequency rating 5Hz min/200MHz max. Internal sweep generator and 3 input receivers. Overall dimensions: 22.75"L x 16.75"W x 8.75"H.

NSN: 6625-01-193-3073
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 60 lbs
Acq. Cost: \$23,079.00 1 EACH

4. GENERATOR, FUNCTION, ELECTRONIC TEST

Hewlett Packard Company, model 3325A, serial number 1748A10925. Nainsynthesizer-function generator. Sine, square, triangle, negative and positive ramps. Power 100/120/220/240 Vac 48 to 66Hz, 60 VA. Overall dimensions: 19.625"L x 16.75"W x 5.25"H.

NSN: 6625-01-107-8152
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 25 lbs
Acq. Cost: \$22,956.95 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)

PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

5. SYNTHESIZER, ELECTRICAL FREQUENCY

Hewlett Packard Company, model 3326A, serial number 21519A01052. Digital readout. Overall dimensions: 19.625"L x 7"W x 16.75"H.

NSN: 6625-01-236-5804
DEMIL CODE: Q

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 60 lbs
Acq. Cost: \$22,957.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

6. OSCILLOSCOPE

Tektronix Company, model R7704, serial number B081166. 4 plug-in compartment general purpose 175 MHz mainframe. Compatible with all Tektronix 7000 series plug-ins. Overall dimensions: 22.4"L x 19"W x 7"H.

NSN: 6625-00-007-8487
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 20 lbs
Acq. Cost: \$3,450.00 1 EACH

7. OSCILLOSCOPE MAINFRAME

Tektronix Company, model 7603, serial number B389931. Accommodates 3 plug-ins from Tektronix 7000 series. 6.5 inch screen size. Frequency rating: 50Hz min/400Hz max. Voltage rating: 100.0 volts, 110.0 volts, 120.0 volts, 200.0 volts, 220.0 volts, 240.0 volts nominal. Overall dimensions: 24"L x 11.4"W x 8.7"H.

NSN: 6625-00-261-5127
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 30 lbs
Acq. Cost: \$8,400.00 1 EACH

8. OSCILLOSCOPE MAINFRAME

Tektronix Company, model 7603, serial number B372170. Accommodates 3 plug-ins from Tektronix 7000 series. 6.5 inch screen size. Frequency rating: 50Hz min/400Hz max. Voltage rating: 100.0 volts, 110.0 volts, 120.0 volts, 200.0 volts, 220.0 volts, 240.0 volts nominal. Overall dimensions: 24"L x 11.4"W x 8.7"H.

NSN: 6625-00-261-5127
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 30 lbs
 Acq. Cost: \$8,400.00 1 EACH

9. CHASSIS, PLUG-IN UNIT, ELECTRICAL TEST

Tektronix Company, model 7834, serial number B035586.
 Includes 4 plug-ins: 2 delaying time base model 7B15; 1 delaying time base model 7B85; and 1 dual trace amp model 7A18A.
 Stored writing speed 2500 cm. 400 MHz bandwidth. Overall dimensions: 22"L x 12"W x 14"H.

NSN: 6625-01-055-9841
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 50 lbs
 Acq. Cost: \$21,449.00 1 EACH

10. OSCILLOSCOPE

Hewlett Packard Company, model 54501A, serial number 3049A15527. 4 channel 100 MHz portable digitizing. Accessory pouch includes two 10432A 10:1 10ohm probes. Overall dimensions: 12"L x 18"W x 10"H.

NSN: 6625-01-304-7317
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 22 lbs
 Acq. Cost: \$4,449.00 1 EACH

11. TEST SET, TELECOMMUNICATION SYSTEM

Hewlett Packard Company, model 4935A, serial number 2846A22203. Signal-to-Noise ratio; 3 level impulse noise; Noise-to-Ground. Level and frequency for transmitter frequency 20Hz to 110kHz resolution plus or minus 1Hz to 100kHz. Overall dimensions: 13"L x 10"W x 5"H.

NSN: 6625-01-252-0319
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 7 lbs
 Acq. Cost: \$3,500.00 1 EACH

12. TEST SET, TELECOMMUNICATION SYSTEM

Hewlett Packard Company, model 4935A, serial number 2846A22209. Signal-to-Noise ratio; 3 level impulse noise; Noise-to-Ground. Level and frequency for transmitter frequency 20Hz to 110kHz resolution plus or minus 1Hz to 100kHz. Overall dimensions: 13"L x 10"W x 5"H.

NSN: 6625-01-252-0319
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 7 lbs
 Acq. Cost: \$3,500.00 1 EACH

13. TEST SET, TELECOMMUNICATION SYSTEM

Hewlett Packard Company, model 4935A, serial number 2846A22220. Signal-to-Noise ratio; 3 level impulse noise; Noise-to-Ground. Level and frequency for transmitter frequency 20Hz to

110kHz resolution plus or minus 1Hz to 100kHz. Overall dimensions: 13"L x 10"W x 5"H.

NSN: 6625-01-252-0319
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 7 lbs
 Acq. Cost: \$3,500.00 1 EACH

14. TEST SET, TELECOMMUNICATION SYSTEM

Hewlett Packard Company, model 4935A, serial number 2846A23328. Signal-to-Noise ratio; 3 level impulse noise; Noise-to-Ground. Level and frequency for transmitter frequency 20Hz to 110kHz resolution plus or minus 1Hz to 100kHz. Overall dimensions: 13"L x 10"W x 5"H.

NSN: 6625-01-252-0319
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 7 lbs
 Acq. Cost: \$3,500.00 1 EACH

15. TEST SET, TRANSMISSION LINE

Hewlett Packard Company, model 4934A-001, serial number A710800. Battery pack with built in charger. Overall dimensions: 13"L x 10"W x 5"H.

NSN: 6625-01-392-0209
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 7 lbs
 Acq. Cost: \$3,038.00 1 EACH

16. OSCILLOSCOPE

Tektronix Company, model 2465, serial number B050329. Voltage rating: 120 volts nominal and 240 volts nominal. Frequency rating: 48Hz nominal and 440Hz nominal. Overall dimensions: 16"L x 13"W x 7"H.

NSN: 6625-01-159-3106
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 20 lbs
 Acq. Cost: \$5,470.00 1 EACH

17. SWITCH, ELECTRONIC

Hewlett Packard Company, model 3488A, serial number 2240A00996. Switch control unit for test switching requirements. Overall dimensions: 16.75"L x 11.5"W x 3.5"H.

NSN: 6625-01-182-2949
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 19 lbs
 Acq. Cost: \$1,650.00 1 EACH

18. REFLECTOMETER, METALLIC TIME DOMAIN

Tektronix Company, model 1502BOPT03/04, serial number B020908. Single phase; inclosure feature, single item with housing. Metallic cable testing. Overall dimensions: 16.5"L x 12.4"W x 5"H.

NSN: 6625-01-275-4759
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 20 lbs
Acq. Cost: \$11,485.00 1 EACH

19. REFLECTOMETER, METALLIC TIME DOMAIN

Tektronix Company, model 1502BOPT03/04, serial number B02091. Single phase; inclosure feature, single item with housing. Metallic cable testing. Overall dimensions: 16.5"L x 12.4"W x 5"H.

NSN: 6625-01-275-4759
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 20 lbs
Acq. Cost: \$11,485.00 1 EACH

20. ANALYZER, CAPACITOR INDUCTOR

Sencore Inc. model LC-102, serial number 60866408M. Power 105-130V AC; 60Hz; 24 watts max with supplied PA251 power adapter; LC77 is an automatic capacitor and inductor tester; battery life 8 hours typical capacitor testing; good/bad indication functions on all test; requires user input of component type and value or input of desired limits; digital read type 0.45 inches; 6 digit; 7 segment LCD; operating range 32 to 104 degrees F; range for specified accuracy 50 to 86 degree F. Overall dimensions: 11.5"L x 9"W x 6"H.

NSN: 6625-01-278-3878
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 8 lbs
Acq. Cost: \$1,857.00 1 EACH

21. METER, NULL

Fluke Corp., model 845AB, serial number 6330003, voltmeter. Black single indicator all ranges; 3 banana plug. Accuracy in percent: -2.0 to 2.0 at full scale single indicator all ranges. Overall dimensions: 8.5"L x 8"W x 7"H.

NSN: 6625-00-226-3718
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 7 lbs
Acq. Cost: \$3,040.00 1 EACH

22. RESISTOR, DECADE

Genrad Inc., model 1450TB, serial number 730, attenuator. Electronic test equipment. Overall dimensions: 12"L x 12"W x 6"H

NSN: 6625-00-612-1837
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 15 lbs
Acq. Cost: \$2,481.00 1 EACH

23. INDUCTANCE, STANDARD, FIXED

Genrad Inc. model 1482L, serial number 694. Inductance rating: 100.0 millihenries; accuracy range in percent: -0.1 to 0.1; frequency rating: 61.0kHz nominal; DC resistance rating 92.0 ohms nominal; maximum current rating: 180.0 milliamperes. Overall dimensions: 8"L x 6.5"W x 6.5"H.

NSN: 6625-00-556-8584
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 10 lbs
Acq. Cost: \$1,959.00 1 EACH

24. INDUCTANCE, STANDARD, FIXED

Genrad Inc. model 1482B, serial number 362. Inductance rating: 100.0 microhenries; accuracy range in percent: -0.25 to 0.25; frequency rating: 3.5MHz nominal; DC resistance rating 0.29 ohms nominal; maximum current rating: 3200.0 milliamperes. Overall dimensions: 6.5"L x 6.5"W x 8"H.

NSN: 6625-00-583-0040
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 10 lbs
Acq. Cost: \$2,155.00 1 EACH

25. OSCILLOSCOPE

Tektronix Company, model 222, serial number B019581. Portable-dual trace-battery powered. Bandwidth: DC to 10 MHz. Input impedance: 1 Megaohm. Max input voltage: 400V (DC and peak AC). Deflection factor 5 millivolts/div to 50V/div. Overall dimensions: 14"L x 9"W x 5"H.

NSN: 6625-01-304-1744
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 5 lbs
Acq. Cost: \$2,079.00 1 EACH

26. OSCILLOSCOPE

Tektronix Company, model SC504, serial number B026578. Sweep frequency range: 30.0 to 80.0 MHz. Single trigger sweep duration: 50.0 nanoseconds minimum and 200,000,000.0 nanoseconds maximum. X-Axis frequency response rating: 2.0MHz nominal; Y-Axis frequency response rating 1.0Hz nominal. Overall dimensions: 10"L x 6"W x 6"H.

NSN: 6625-01-078-1116
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 5 lbs
Acq. Cost: \$4,434.00 1 EACH

27. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC

Tektronix Company, model 11A52, serial number B022004. Amplifier, plug in. Overall dimensions: 14"L x 3"W x 6"H.

NSN: 6625-01-281-7746
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 2 lbs
Acq. Cost: \$500.00 1 EACH

28. GENERATOR SWEEP

Tektronix Company, model 7B92A, serial number B111330, selector. 500.0 MHz nominal on 1st and 2nd operating channel. Overall dimensions: 12"L x 3"W x 5"H.

NSN: 6625-01-027-0265
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$3,640.00 1 EACH

29. GENERATOR SWEEP

Tektronix Company, model 7B92A, serial number B094906, selector. 500.0 MHz nominal on 1st and 2nd operating channel. Overall dimensions: 12"L x 3"W x 5"H.

NSN: 6625-01-027-0265
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$3,640.00 1 EACH

30. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B129327. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$2,380.00 1 EACH

31. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B129248. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$2,380.00 1 EACH

32. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B129338. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$2,380.00 1 EACH

33. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B144427. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$2,380.00 1 EACH

34. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B144451. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$2,380.00 1 EACH

35. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B129328. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$2,380.00 1 EACH

36. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B129304. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$2,380.00 1 EACH

37. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B144442. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 3 lbs
 Acq. Cost: \$2,380.00 1 EACH

38. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B124337. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 3 lbs
 Acq. Cost: \$2,380.00 1 EACH

39. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B129335. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 3 lbs
 Acq. Cost: \$2,380.00 1 EACH

40. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B144424. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 3 lbs
 Acq. Cost: \$2,380.00 1 EACH

41. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B144447. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 3 lbs
 Acq. Cost: \$2,380.00 1 EACH

42. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B129323. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 3 lbs
 Acq. Cost: \$2,380.00 1 EACH

43. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B144450. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 3 lbs
 Acq. Cost: \$2,380.00 1 EACH

44. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B113626. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 3 lbs
 Acq. Cost: \$2,380.00 1 EACH

45. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B131251. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 3 lbs
 Acq. Cost: \$2,380.00 1 EACH

46. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B071538. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 3 lbs
 Acq. Cost: \$2,380.00 1 EACH

47. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B131253. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 3 lbs
 Acq. Cost: \$2,380.00 1 EACH

48. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B133121. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$2,380.00

1 EACH

49. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A24, serial number B131883. Dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$2,380.00

1 EACH

50. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A19, serial number B039503. Polarity of display is selectable, either normal or inverted. High performance, wide bandwidth, single trace plug in amplifier designed primarily for use with the 7900 and 7700 Tektronix oscilloscopes; also compatible with all 7000 series Tektronix mainframe oscilloscopes. Overall dimensions: 13.7"L x 2.65"W x 5"H.

NSN: 6625-00-506-1121
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$3,100.00

1 EACH

51. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A19, serial number B037738. Polarity of display is selectable, either normal or inverted. High performance, wide bandwidth, single trace plug in amplifier designed primarily for use with the 7900 and 7700 Tektronix oscilloscopes; also compatible with all 7000 series Tektronix mainframe oscilloscopes. Overall dimensions: 13.7"L x 2.65"W x 5"H.

NSN: 6625-00-506-1121
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$3,100.00

1 EACH

52. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A19, serial number B036510. Polarity of display is selectable, either normal or inverted. High performance, wide bandwidth, single trace plug in amplifier designed primarily for use with the 7900 and 7700 Tektronix oscilloscopes; also compatible with all 7000 series Tektronix

mainframe oscilloscopes. Overall dimensions: 13.7"L x 2.65"W x 5"H.

NSN: 6625-00-506-1121
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$3,100.00

1 EACH

53. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A19, serial number B038327. Polarity of display is selectable, either normal or inverted. High performance, wide bandwidth, single trace plug in amplifier designed primarily for use with the 7900 and 7700 Tektronix oscilloscopes; also compatible with all 7000 series Tektronix mainframe oscilloscopes. Overall dimensions: 13.7"L x 2.65"W x 5"H.

NSN: 6625-00-506-1121
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$3,100.00

1 EACH

54. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A19, serial number B040424. Polarity of display is selectable, either normal or inverted. High performance, wide bandwidth, single trace plug in amplifier designed primarily for use with the 7900 and 7700 Tektronix oscilloscopes; also compatible with all 7000 series Tektronix mainframe oscilloscopes. Overall dimensions: 13.7"L x 2.65"W x 5"H.

NSN: 6625-00-506-1121
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$3,100.00

1 EACH

55. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A19, serial number B010597. Polarity of display is selectable, either normal or inverted. High performance, wide bandwidth, single trace plug in amplifier designed primarily for use with the 7900 and 7700 Tektronix oscilloscopes; also compatible with all 7000 series Tektronix mainframe oscilloscopes. Overall dimensions: 13.7"L x 2.65"W x 5"H.

NSN: 6625-00-506-1121
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$3,100.00

1 EACH

56. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A19, serial number B037778. Polarity of display is selectable, either normal or inverted. High performance, wide bandwidth, single trace plug in amplifier designed primarily for use with the 7900 and 7700 Tektronix oscilloscopes; also compatible with all 7000 series Tektronix mainframe oscilloscopes. Overall dimensions: 13.7"L x 2.65"W x 5"H.

NSN: 6625-00-506-1121
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$3,100.00 1 EACH

57. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A19, serial number B010726. Polarity of display is selectable, either normal or inverted. High performance, wide bandwidth, single trace plug in amplifier designed primarily for use with the 7900 and 7700 Tektronix oscilloscopes; also compatible with all 7000 series Tektronix mainframe oscilloscopes. Overall dimensions: 13.7"L x 2.65"W x 5"H.

NSN: 6625-00-506-1121
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$3,100.00 1 EACH

58. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A19, serial number B043863. Polarity of display is selectable, either normal or inverted. High performance, wide bandwidth, single trace plug in amplifier designed primarily for use with the 7900 and 7700 Tektronix oscilloscopes; also compatible with all 7000 series Tektronix mainframe oscilloscopes. Overall dimensions: 13.7"L x 2.65"W x 5"H.

NSN: 6625-00-506-1121
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$3,100.00 1 EACH

59. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7A19, serial number B065425. Polarity of display is selectable, either normal or inverted. High performance, wide bandwidth, single trace plug in amplifier designed primarily for use with the 7900 and 7700 Tektronix oscilloscopes; also compatible with all 7000 series Tektronix mainframe oscilloscopes. Overall dimensions: 13.7"L x 2.65"W x 5"H.

NSN: 6625-00-506-1121
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A

Estimated Weight: 3 lbs
Acq. Cost: \$3,100.00 1 EACH

60. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7B15, serial number B034333. Time base delayed sweep, for Tektronix 7104 mainframe. Overall dimensions: 15"L x 3"W x 5"H.

NSN: 6625-01-149-0613
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$2,615.00 1 EACH

61. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7B15, serial number B033185. Time base delayed sweep, for Tektronix 7104 mainframe. Overall dimensions: 15"L x 3"W x 5"H.

NSN: 6625-01-149-0613
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$2,615.00 1 EACH

62. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7B15, serial number B032422. Time base delayed sweep, for Tektronix 7104 mainframe. Overall dimensions: 15"L x 3"W x 5"H.

NSN: 6625-01-149-0613
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$2,615.00 1 EACH

63. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7B15, serial number B020888. Time base delayed sweep for Tektronix 7104 mainframe. Overall dimensions: 15"L x 3"W x 5"H.

NSN: 6625-01-149-0613
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acq. Cost: \$2,615.00 1 EACH

64. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7B80, serial number B103408, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-032-4343
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 2 lbs
 Acq. Cost: \$1,490.00 1 EACH

65. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7B80, serial number B0533335, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-032-4343
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 2 lbs
 Acq. Cost: \$1,490.00 1 EACH

66. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7B80, serial number B103413, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-032-4343
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 2 lbs
 Acq. Cost: \$1,490.00 1 EACH

67. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7B80, serial number B063416, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-032-4343
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 2 lbs
 Acq. Cost: \$1,490.00 1 EACH

68. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7B80, serial number B062937, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-032-4343
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 2 lbs
 Acq. Cost: \$1,490.00 1 EACH

69. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7B80, serial number B063252, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-032-4343
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 2 lbs
 Acq. Cost: \$1,490.00 1 EACH

70. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7B80, serial number B065973, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-032-4343
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 2 lbs
 Acq. Cost: \$1,490.00 1 EACH

71. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7B80, serial number B061268, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-032-4343
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 2 lbs
 Acq. Cost: \$1,490.00 1 EACH

72. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7B80, serial number B063984, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-032-4343
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 2 lbs
 Acq. Cost: \$1,490.00 1 EACH

73. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7B80, serial number B103430, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-032-4343
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 2 lbs
 Acq. Cost: \$1,490.00 1 EACH

74. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7B80, serial number B103074, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-032-4343
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 2 lbs
Acq. Cost: \$1,490.00

1 EACH

75. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7B80, serial number B103424, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-032-4343
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 2 lbs
Acq. Cost: \$1,490.00

1 EACH

76. PLUG-IN UNIT, ELECTRICAL ELECTONIC TEST EQUIPMENT

Tektronix Company, model 7B80, serial number B103405, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-032-4343
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 2 lbs
Acq. Cost: \$1,490.00

1 EACH

77. ANALYZER, DIGITAL DATA, ELECTRONIC TEST

Tektronix Company, model 1241, serial number B011885. Modular 9-72 channels; dual timebase triggering, acquisition, and display; GPIB, RS-232C, printer support; 100 MHz asynchronous sampling; support for 50 microprocessors. Provides complete support for aspects of design task. Overall dimensions: 18"L x 13"W x 7"H.

NSN: 6625-01-244-1856
DEMIL CODE: Q

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 28 lbs
Acq. Cost: \$10,356.65

1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE

COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

78. ANALYZER, DIGITAL DATA, ELECTRONIC TEST

Tektronix Company, model 1241, serial number B011286. Modular 9-72 channels; dual timebase triggering, acquisition, and display; GPIB, RS-232C, printer support; 100 MHz asynchronous sampling; support for 50 microprocessors. Provides complete support for aspects of design task. Overall dimensions: 18"L x 13"W x 7"H.

NSN: 6625-01-244-1856
DEMIL CODE: Q

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 28 lbs
Acq. Cost: \$10,356.65

1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

79. TEST SET, ELECTRONIC SYSTEMS

Hewlett Packard Company, model 59401A, serial number 2512A02278, analyzer. Frequency rating: 48Hz minimum and 66Hz maximum. Octal code, ASCII character display; 100, 120, 220, 240 VAC; 6 foot bus cable 10631B; storage temp -40/+75 degree C. Overall dimensions: 19"L x 11"W x 6"H.

NSN: 6625-01-056-0952
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 25 lbs
Acq. Cost: \$2,210.00

1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

80. TEST SET, ELECTRONIC SYSTEMS

Hewlett Packard Company, model 59401A, serial number 2512A02743, analyzer. Frequency rating: 48Hz minimum and 66Hz maximum. Octal code, ASCII character display; 100, 120, 220, 240 VAC; 6 foot bus cable 10631B; storage temp -40/+75 degree C. Overall dimensions: 19"L x 11"W x 6"H.

NSN: 6625-01-056-0952
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 25 lbs
Acq. Cost: \$2,210.00

1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

81. PRINTER THERMAL

Hewlett Packard Company, model 5150A, serial number 2314A08744. Includes internal printer. Overall dimensions: 14"L x 9"W x 7"H.

NSN: 7010-01-022-5768
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817
 Loose-Used-Condition Code A
 Estimated Weight: 15 lbs
 Acq. Cost: \$2,256.00 1 EACH

82. PRINTER THERMAL

Hewlett Packard Company, model 5150A, serial number 2144A07960. Includes internal printer. Overall dimensions: 14"L x 9"W x 7"H.

NSN: 7010-01-022-5768
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817
 Loose-Used-Condition Code A
 Estimated Weight: 15 lbs
 Acq. Cost: \$2,256.00 1 EACH

83. GENERATOR, TIME CODE

Bei Systron Donner Inertial Division, model 8120, serial number 120. Generates a modulated IRIG B format in terms of hours, minutes, and seconds, plus generates a DC level shift output, (4) precisely controlled pulse rates; updated time is supplied as parallel BCD outputs with DTL/TTL compatible logic levels. Operating temperature: 0.0 to 50.0 degree C. Input power: 115.0/230.0V AC at 48 to 62Hz at 30 watts nominal. Overall dimensions: 17"L x 19"W x 3.5"H.

NSN: 6645-01-149-4082
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817
 Loose-Used-Condition Code A
 Estimated Weight: 20 lbs
 Acq. Cost: \$1,500.00 1 EACH

84. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST

Hewlett Packard Company, model 86635A, serial number 1707A00256. Phase and FM section. Internal, external FM CF calibration; 0/10, 100, 1000 kHz FM; 0/100 degree peak phase 600 ohms input impedance. Overall dimensions: 10"L x 4"W x 6"H.

NSN: 6625-01-061-8603
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817
 Loose-Used-Condition Code A
 Estimated Weight: 6 lbs
 Acq. Cost: \$4,200.00 1 EACH

85. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST

Hewlett Packard Company, model 86634A, serial number 1932A00508. Main frame test signal. Overall dimensions: 10"L x 4"W x 6"H.

NSN: 6625-01-050-5301
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 10 lbs
 Acq. Cost: \$2,920.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

86. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST

Hewlett Packard Company, model 86601A, serial number 1721A01400. Radio frequency. Overall dimensions: 13.966"L x 3.75"W x 6.4"H.

NSN: 6625-00-386-1984
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 15 lbs
 Acq. Cost: \$5,610.00 1 EACH

87. PLUG-IN UNIT, ELECTRONIC TEST EQUIPMENT

Tektronix Company, model 7B92A, serial number B063563, time base. Sweep generator. Overall dimensions: 13"L x 3"W x 5"H.

NSN: 4935-01-080-6046
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 5 lbs
 Acq. Cost: \$3,640.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

88. PLUG-IN UNIT, ELECTRONIC TEST EQUIPMENT

Tektronix Company, model 7B92A, serial number B091767, time base. Sweep generator. Overall dimensions: 13"L x 3"W x 5"H.

NSN: 4935-01-080-6046
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 5 lbs
 Acq. Cost: \$3,640.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

89. EXTENDER CARD, ELECTRONIC TEST
 Hewlett Packard Company, model 37204A, serial number 2910U12936. Includes port A and port B fault. Overall dimensions: 10"L x 8"W x 3"H.

NSN: 5998-01-417-7560
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 5 lbs
 Acq. Cost: \$7,878.75 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

90. EXTENDER CARD, ELECTRONIC TEST
 Hewlett Packard Company, model 37204A, serial number 2910U13022. Includes port A and port B fault. Overall dimensions: 10"L x 8"W x 3"H.

NSN: 5998-01-417-7560
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 5 lbs
 Acq. Cost: \$7,878.75 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

91. EXTENDER CARD, ELECTRONIC TEST
 Hewlett Packard Company, model 37204A, serial number 2547U04393. Includes port A and port B fault. Overall dimensions: 10"L x 8"W x 3"H.

NSN: 5998-01-417-7560
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 5 lbs

Acq. Cost: \$7,878.75 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

92. CHASSIS, PLUG-IN UNIT, ELECTRICAL TEST
 Tektronix Company, model TM5006, serial number B03663. Operating requirements: 48/66Hz. Operating power: 100.0, 110.0, 120.0, 200.0, 220.0, 240.0 VAC porm 10 pct. Power consumption maximum: 650VA. Operating temperature range: 0.0 to 50.0 degree C. Non-operating: M55 to P75 degree C. Altitude range: operating -sea level to 15000 ft, non-operating-sea level to 50000 ft. Rackmount, includes high power compartment on right hand end to supply higher current levels. Accommodates up to six plug-in modules from the Tektronix TM5000 and TM500 series. IEEE STD 488 compatible. Overall dimensions: 19.2"L x 17.5"W x 7.6"H.

NSN: 6625-01-236-5793
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 32 lbs
 Acq. Cost: \$1,651.72 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

93. RACK, ELECTRICAL EQUIPMENT
 Tektronix Company, model TM506, serial number B200823, oscilloscope mainframe. Accommodates 6 plug-ins. Overall dimensions: 19"L x 18"W x 6"H

NSN: 6625-01-027-1642
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 25 lbs
 Acq. Cost: \$495.28 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

94. RACK, ELECTRICAL EQUIPMENT
 Tektronix Company, model TM506, serial number B034770, oscilloscope mainframe. Accommodates 6 plug-ins. Overall dimensions: 19"L x 18"W x 6"H

NSN: 6625-01-027-1642

DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 25 lbs
 Acq. Cost: \$495.28 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control
 List Items (MLI/CCLI) Compliance
**END USE CERTIFICATE APPLIES AND MUST BE
 COMPLETED AND SUBMITTED BY HIGH BIDDER
 PRIOR TO AWARD**

95. RACK, ELECTRICAL EQUIPMENT

Tektronix Company, model TM506, serial number B04712, oscilloscope mainframe. Accommodates 6 plug-ins. Overall dimensions: 19"L x 18"W x 6"H

NSN: 6625-01-027-1642
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 25 lbs
 Acq. Cost: \$495.28 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control
 List Items (MLI/CCLI) Compliance
**END USE CERTIFICATE APPLIES AND MUST BE
 COMPLETED AND SUBMITTED BY HIGH BIDDER
 PRIOR TO AWARD**

96. OSCILLOSCOPE

Data Check Corp. Div, model 1200B, serial number 3720, recorder, monitor, oscilloscope. Voltage rating: 120 volts nominal. Frequency rating: 60Hz nominal. Oscopoe modules 7; model 1210B in a 1201 power supply/rack chassis 1. Overall dimensions: 17"L x 15.5"W x 3.5"H

NSN: 6625-01-144-0686
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 35 lbs
 Acq. Cost: \$30,000.00 1 EACH

97. OSCILLOSCOPE

Data Check Corp. Div, model 1200B, serial number 3718. Voltage rating: 120 volts nominal. Frequency rating: 60Hz nominal. Oscopoe modules 7; model 1210B in a 1201 power supply/rack chassis 1. Overall dimensions: 17"L x 15.5"W x 3.5"H

NSN: 6625-01-144-0686
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 35 lbs
 Acq. Cost: \$30,000.00 1 EACH

98. MULTIMETER

Hewlett Packard Company, model 4275A, serial number 2517J03585, meter LCR frequency. Frequency response range: 0.010 to 10.000MHz. A4 rectangular surface mtg. Dual 5 1/2-digit and single 3-digit display. Overall dimensions: 23"L x 17"W x 7"H

NSN: 6625-01-122-2618
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 25 lbs
 Acq. Cost: \$12,109.70 1 EACH

99. TEST SET, DATA TRANSMISSION LINE

Hewlett Packard Company, model 4948A, serial number 2615U00144, impairment measuring set. AC voltage rating: 100.0 volts minimum and 240.0 volts maximum. Frequency rating: 48Hz minimum and 66Hz maximum. Test data circuits carrying voice grade modem traffic while still in service. Overall dimensions: 23"L x 17"W x 6.4"H.

NSN: 6625-01-299-9831
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 30 lbs
 Acq. Cost: \$12,500.00 1 EACH

100. OSCILLOSCOPE MAINFRAME

Tektronix Company, model 7603, serial number B372057. Includes 3 plug-ins from Tektronix 7000 series. 6.5 inch screen size. Frequency rating: 50Hz min/400Hz max. Voltage rating: 100.0 volts, 110.0 volts, 120.0 volts, 200.0 volts, 220.0 volts, 240.0 volts nominal. Overall dimensions: 24"L x 11.4"W x 8.7"H.

NSN: 6625-00-261-5127
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 30 lbs
 Acq. Cost: \$4,200.00 1 EACH

101. FREQUENCY STANDARD

Austron Division, model 1250A, serial number 3764BR84C. Frequency range rating: 0.100 to 5.000 MHz. AC voltage rating: 115.0 volts nominal and 230.0 volts nominal. Frequency rating: 50.0Hz minimum and 400.0Hz maximum. Solid state construction; includes internal batteries and power selection switch. Overall dimensions: 17.6"L x 14"W x 5.3"H.

NSN: 6625-01-035-6337
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 30 lbs
 Acq. Cost: \$3,090.00 1 EACH

102. ANALYZER, SPECTRUM

Tektronix Company, model 2710, serial number B033810. AM/FM detectors, audio amplifier, automatic calibration, speaker, and headphone jack. Overall dimensions: 18"L x 13"W x 5"H.

NSN: 6625-01-331-2568
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 20 lbs
 Acq. Cost: \$8,500.00 1 EACH

103. METER, POWER FACTOR

Hewlett Packard Company, model 438A, serial number 2822A05477. Digital display, light emitting diode. Operating voltage rating in volts: 100.0 AC minimum and 240.0 AC maximum. Frequency rating: 48Hz minimum and 66Hz maximum. Overall dimensions: 16.8"L x 8.4"W x 3.5"H.
 NSN: 6625-01-203-0541
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 10 lbs
 Acq. Cost: \$5,080.00 1 EACH

104. GENERATOR, SIGNAL

Hewlett Packard Company, model 3312A, serial number 1432A15598. Frequency range rating: 0.010 to 10.000 kHz. Sweep start. Overall dimensions: 14.875"L x 8.5"W x 4"H.

NSN: 6625-01-028-4989
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 5 lbs
 Acq. Cost: \$900.00 1 EACH

105. GENERATOR, FUNCTION, ANALOG COMPUTER

Hewlett Packard Company, model 3311A, serial number 1244A26099. 7 decades of range from 0.1Hz to 1MHz, waveforms sinusoid, square, triangle and positive pulse. Operating power voltage: 100/120/220/240 switchable. Overall dimensions: 10"L x 6"W x 4"H.

NSN: 7050-01-015-6062
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 5 lbs
 Acq. Cost: \$454.23 1 EACH

106. GENERATOR, FUNCTION, ANALOG COMPUTER

Hewlett Packard Company, model 3311A, serial number 1244A26100. 7 decades of range from 0.1Hz to 1MHz, waveforms sinusoid, square, triangle and positive pulse. Operating power voltage: 100/120/220/240 switchable. Overall dimensions: 10"L x 6"W x 4"H.

NSN: 7050-01-015-6062
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 5 lbs
 Acq. Cost: \$454.23 1 EACH

107. POWER SENSOR

Hewlett Packard Company, model 8481A, serial number 2072A65311. Silicon monolithic thermocouple sensing element. Overall dimensions: 4"L x 1.5"W x 1.2"H.

NSN: 6625-00-354-9762
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 1 lbs
 Acq. Cost: \$1,382.67 1 EACH

108. POWER SENSOR

Hewlett Packard Company, model 8481A, serial number 2701A04862. Silicon monolithic thermocouple sensing element. Overall dimensions: 4"L x 1.5"W x 1.2"H.

NSN: 6625-00-354-9762
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 1 lbs
 Acq. Cost: \$1,382.67 1 EACH

109. OSCILLOSCOPE

Tektronix Company, model 2445B, serial number B061586. Screen size: 8 by 10 centimeters. Sweep circuit type: horizontal and vertical. Sweep frequency range: 0.0 to 200.0MHz. Single trigger sweep duration: 1.0 nanoseconds nominal. Trigger sweep voltage amplitude rating: 0.0 volts minimum and 400.0 volts maximum. Voltage rating: 90.0 volts minimum and 250.0 volts maximum. Frequency rating: 48.0Hz minimum and 440.0Hz maximum. Amplifier input impedance rating provision. Overall dimensions: 17.1"L x 13.3"W x 7.5"H.

NSN: 6625-01-178-9491
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 15 lbs
 Acq. Cost: \$3,927.85 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

110. OSCILLOSCOPE

Tektronix Company, model 465B, serial number B042004. Sweep circuits included 110.0 volts minimum and 240.0 volts maximum. Overall dimensions: 18"L x 13"W x 7"H.

NSN: 6625-01-090-2312
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 15 lbs
 Acq. Cost: \$3,000.00 1 EACH

111. OSCILLOSCOPE

Tektronix Company, model 2445B, serial number B061944. Screen size: 8 by 10 centimeters. Sweep circuit type: horizontal and vertical. Sweep frequency range: 0.0 to 200.0MHz. Single trigger sweep duration: 1.0 nanoseconds nominal. Trigger sweep voltage amplitude rating: 0.0 volts minimum and 400.0 volts maximum. Voltage rating: 90.0 volts minimum and 250.0

volts maximum. Frequency rating: 48.0Hz minimum and 440.0Hz maximum. Amplifier input impedance rating provision. Overall dimensions: 17.1"L x 13.3"W x 7.5"H.

NSN: 6625-01-178-9491
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 15 lbs
Acq. Cost: \$5,903.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

112. OSCILLOSCOPE MAINFRAME

Tektronix Company, model 5110, serial number B141501. Voltage rating: 100.0 volts, 110.0 volts, 120.0 volts, 200.0 volts, 220.0 volts, 240.0 volts nominal. Frequency rating: 48.0Hz min/440.0Hz max. Accommodates 3 plug-ins from Tektronix 5100 series. Channels are determined by two of the plug-ins. Deflection factor is determined by plug-in selected. Bandwidth is 2MHz. X-Y mode: phase shift is within 1 degree from DC to 100kHz. CRT is electrostatic-deflecting with internal graticule. Bright display provided by 3.5 kV accelerating potential. Standard P31 phosphor; ambient temperature is 0 to P50 degree C. Overall dimensions: 20"L x 19"W x 5"H.

NSN: 6625-00-583-6432
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 22 lbs
Acq. Cost: \$3,090.00 1 EACH

113. OSCILLOSCOPE MAINFRAME

Tektronix Company, model 7603, serial number B389310. Accommodates and includes 3 plug-ins from Tektronix 7000 series. 6.5 inch screen size. Frequency rating: 50Hz min/400Hz max. Voltage rating: 100.0 volts, 110.0 volts, 120.0 volts, 200.0 volts, 220.0 volts, 240.0 volts nominal. Overall dimensions: 24"L x 11.4"W x 8.7"H.

NSN: 6625-00-261-5127
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 25 lbs
Acq. Cost: \$15,174.00 1 EACH

114. OSCILLOSCOPE MAINFRAME

Tektronix Company, model 7603, serial number B306006. Accommodates 3 plug-ins from Tektronix 7000 series. Includes 2 plug-ins. 6.5 inch screen size. Frequency rating: 50Hz min/400Hz max. Voltage rating: 100.0 volts, 110.0 volts, 120.0 volts, 200.0 volts, 220.0 volts, 240.0 volts nominal. Overall dimensions: 24"L x 11.4"W x 8.7"H.

NSN: 6625-00-261-5127
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 25 lbs
Acq. Cost: \$15,174.00 1 EACH

115. OSCILLOSCOPE MAINFRAME

Tektronix Company, model 7613, serial number B333360. Screen size: 6.5 inch. Voltage rating: 100.0 volts, 110.0 volts, 120.0 volts, 200.0 volts, 220.0 volts, 240.0 volts nominal. Frequency rating: 50.0Hz min/60.0Hz max. Accommodates and includes 3 plug-ins from Tektronix 7100 series. Channels are determined by two of the plug-ins. Bandwidth determined by mainframe and plug-in unit. Mode of operation: left, alt, chop, add, right. Chopped mode: 1MHz repetition rate. Fastest calibrated sweep rate: 5 NS/DIV. X-Y mode: 2 degree from DC to 34kHz. Variable persistence storage CRT, internal graticule with variable illumination, accelerating potential is 8.5 kV, P31 phosphor, non-store and store modes. Maximum storage writing speed is greater than 5 DIV/US, erase time is 0.5 seconds or less. Continuously variable persistence, external Z-axis input, auto focus, beam finder. Overall dimensions: 23.5"L x 12"W x 8.7"H.

NSN: 6625-00-551-7851
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 30 lbs
Acq. Cost: \$11,661.60 1 EACH

116. OSCILLOSCOPE

Tektronix Company, model 2445, serial number B027891. Screen size: 8 by 10 centimeters. Sweep circuit type: horizontal and vertical. Sweep frequency range: 0.0 to 200.0MHz. Single trigger sweep duration: 1.0 nanoseconds nominal. Trigger sweep voltage amplitude rating: 0.0 volts minimum and 400.0 volts maximum. Voltage rating: 90.0 volts minimum and 250.0 volts maximum. Frequency rating: 48.0Hz minimum and 440.0Hz maximum. Amplifier input impedance rating provision. Includes accessory pouch. Overall dimensions: 17.1"L x 13.3"W x 7.5"H.

NSN: 6625-01-178-9491
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 15 lbs
Acq. Cost: \$3,927.85 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

117. OSCILLOSCOPE

Tektronix Company, model 2445B, serial number B061808. Screen size: 8 by 10 centimeters. Sweep circuit type: horizontal and vertical. Sweep frequency range: 0.0 to 200.0MHz. Single trigger sweep duration: 1.0 nanoseconds nominal. Trigger sweep voltage amplitude rating: 0.0 volts minimum and 400.0 volts maximum. Voltage rating: 90.0 volts minimum and 250.0 volts maximum. Frequency rating: 48.0Hz minimum and 440.0Hz maximum. Amplifier input impedance rating provision. Includes accessory pouch. Overall dimensions: 17.1"L x 13.3"W x 7.5"H.

NSN: 6625-01-178-9491

DEMIL CODE: B
 CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 15 lbs
 Acq. Cost: \$3,927.85 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

118. OSCILLOSCOPE

Tektronix Company, model 2465A, serial number B018042.
 Voltage rating: 120 volts nominal and 240 volts nominal.
 Frequency rating: 48Hz nominal and 440Hz nominal. Includes accessory pouch. Overall dimensions: 17"L x 13"W x 8"H.

NSN: 6625-01-159-3106
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 15 lbs
 Acq. Cost: \$5,470.00 1 EACH

119. GENERATOR, FUNCTION, ELECTRONIC TEST

Hewlett Packard Company, model 3314A, serial number 2836A13500. Frequency per channel: 0.001Hz min/19.999MHz max. operating channel. Output wave shape: square, sine, isosceles triangular and ramps. External AC operating voltage in volts: 110.0, 120.0, 220.0, 240.0 nominal single voltage. Operating AC frequency in Hz: 48.0 min/66.0 max. single voltage. Overall dimensions: 16.5"L x 8.36"W x 5.22"H.

NSN: 6625-01-162-7659
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 10 lbs
 Acq. Cost: \$4,271.00 1 EACH

120. GENERATOR, PULSE

Hewlett Packard Company, model 8112A, serial number 2739A06593. Frequency per channel: 48Hz min/440Hz max operating channel. Signal voltage rating per channel: 50.000 mega volts nominal output. Output wave shape: cosine, sawtooth, and trapezoidal. Overall dimensions: 18"L x 8"W x 4"H.

NSN: 6625-01-190-5008
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 8 lbs
 Acq. Cost: \$14,730.03 1 EACH

121. SYNTHESIZER, ELECTRICAL FREQUENCY

Hewlett Packard Company, model 8904A-001-002-003, serial number 2948A05583. Digital readout. Operating temperature range: 0.0 to 50.0 degree C. Overall dimensions: 20.2"L x 8.36"W x 5.25"H.

NSN: 6625-01-331-4895
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 5 lbs
 Acq. Cost: \$8,000.00 1 EACH

122. SYNTHESIZER, ELECTRICAL FREQUENCY

Hewlett Packard Company, model 8904A-001-002-004, serial number 2948A05603. Digital readout. Operating temperature range: 0.0 to 50.0 degree C. Overall dimensions: 20.2"L x 8.36"W x 5.25"H.

NSN: 6625-01-331-4895
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 5 lbs
 Acq. Cost: \$8,000.00 1 EACH

123. WITHDRAWN

124. OSCILLOSCOPE

Tektronix Company, model 7844, serial number B142649. Accommodates up to 4 plug-ins. Overall dimensions: 20"L x 13"W x 14"H.

NSN: 6625-01-015-6562
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 25 lbs
 Acq. Cost: \$14,945.00 1 EACH

125. ANALYZER, DIGITAL DATA, ELECTRONIC TEST

Telecommunications Company, model FIREBERD6000, serial number 13978. AC voltage rating: 90.0 volts min/260.0 volts max. Frequency rating: 48Hz min/66Hz max. Frequency synthesizer 50Hz to 15MHz. Data generator, fixed and pseudorandom patterns. Error analysis, signal analysis. Non-volatile memory, automatic self test. Built in RS-232 DTE/DCE data interface/integral RS-232 printer/controller interface communication analyzer capable of producing several data rates. Overall dimensions: 14"L x 14.5"W x 6"H.

NSN: 6625-01-277--5791
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 16 lbs
 Acq. Cost: \$15,412.00 1 EACH

126. ANALYZER, DIGITAL DATA, ELECTRONIC TEST

Telecommunications Company, model FIREBERD6000, serial number 12360. AC voltage rating: 90.0 volts min/260.0 volts max. Frequency rating: 48Hz min/66Hz max. Frequency synthesizer 50Hz to 15MHz. Data generator, fixed and pseudorandom patterns. Error analysis, signal analysis. Non-volatile memory, automatic self test. Built in RS-232 DTE/DCE data interface/integral RS-232 printer/controller interface communication analyzer capable of producing several data rates. Overall dimensions: 14"L x 14.5"W x 6"H.

NSN: 6625-01-277--5791

DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 16 lbs
 Acq. Cost: \$15,412.00 1 EACH

127. OSCILLOSCOPE

Tektronix Company, model 212, serial number B201522. Sweep circuit type: horizontal and vertical. Voltage rating: 110.0 volts min/126.0 volts max. Frequency rating: 58Hz min/62Hz max. Includes carrying case. Overall dimensions: 9.5"L x 5.3"W x 3"H.

NSN: 6625-01-061-5519
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 3 lbs
 Acq. Cost: \$2,241.00 1 EACH

128. CALIBRATOR, VOLTAGE

Analogic Corp., Data Precision Div., model 8200, serial W020142. AC voltage rating: 115 volts min/230 volts max. Frequency rating: 50Hz min/60Hz max. Overall dimensions: 19"L x 13"W x 3.5"H.

NSN: 6625-01-309-5786
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 10 lbs
 Acq. Cost: \$6,217.20 1 EACH

129. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT

Hewlett Packard Company, model 86601A, serial number 2530A02792. Radio frequency. Overall dimensions: 13.966"L x 3.75"W x 6.4"H.

NSN: 6625-00-386-1984
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 5 lbs
 Acq. Cost: \$1,900.00 1 EACH

130. TEST SET, ELECTRONIC SYSTEMS

Hewlett Packard Company, model 11707A, serial number 1525A00238. Troubleshooting all 8660A/B/C synthesized signal generators, FRT panel BNC connectors. Monitors all power supply voltages and analog modulation voltages. Individual LED's display digital command lines used to control attenuation and remote programming. Overall dimensions: 14"L x 4"W x 6"H.

NSN: 6625-01-037-8558
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 3 lbs
 Acq. Cost: \$1,567.37 1 EACH

131. VAN, PASSENGER

1994, Chrysler Corporation, Dodge Ram Van AB3X53, VIN:2B5WB35Z7RK549924. Mileage: 104,447. 8 cylinder, 5.9L magnum engine, automatic transmission. 15 passenger. Parts damaged including windshield, body dents, paint, engine dip stick broken, transmission slips.

FSC: 2310
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Condition Code: F
 Estimated Weight: 8510 lbs
 Acq. Cost: \$23,400.00 1 EACH

PROSPECTIVE BIDDER PLEASE NOTE: The information contained herein is the only information available to prepare the SF 97, The United States Government Certificate to Obtain Title to a Vehicle. You or your carrier are advised to review all applicable data prior to removal. Should a deficiency or incorrect data be found, notify the Sales Contracting Officer (SCO) prior to removal in order for verification/correction to be completed. No information will be changed or supplemented unless the SCO is notified prior to removal. The SF 97 will be mailed from Battle Creek, MI, once item has been removed, and any/all charges are paid in full.

132. VAN, BOX

1992, General Motors Corporation, 24 ft TC 7H042 box van, VIN:1GDM7H1JONJ524541. Mileage: 134,168. 6 cylinder, 190 hp, diesel engine, 4 speed automatic transmission, air brakes. 2 passenger. Parts damaged including engine needs tune up. Rear body rust, left fender damage.

FSC: 2320
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Condition Code: F
 Estimated Weight: 32,000 lbs
 Acq. Cost: \$38,000.00 1 EACH

PROSPECTIVE BIDDER PLEASE NOTE: The information contained herein is the only information available to prepare the SF 97, The United States Government Certificate to Obtain Title to a Vehicle. You or your carrier are advised to review all applicable data prior to removal. Should a deficiency or incorrect data be found, notify the Sales Contracting Officer (SCO) prior to removal in order for verification/correction to be completed. No information will be changed or supplemented unless the SCO is notified prior to removal. The SF 97 will be mailed from Battle Creek, MI, once item has been removed, and any/all charges are paid in full.

133. BUS, 45 PASSENGER

1993, Thomas Built Buses, Inc. 140CN.I8931/79554 VIN: 1T7CT2B22P1118931. Mileage: 99,878. 6 cylinder, 40.9 hp diesel engine, automatic transmission. Parts damaged including dash lights, transmission leak, dents, paint.

FSC: 2310
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Outside- Used-Condition Code F
 Estimated weight: 36,200 lbs.
 Acq. Cost: \$89,865.00 1 EACH

PROSPECTIVE BIDDER PLEASE NOTE: The information contained herein is the only information available to prepare the

SF 97, The United States Government Certificate to Obtain Title to a Vehicle. You or your carrier are advised to review all applicable data prior to removal. Should a deficiency or incorrect data be found, notify the Sales Contracting Officer (SCO) prior to removal in order for verification/correction to be completed. No information will be changed or supplemented unless the SCO is notified prior to removal. The SF 97 will be mailed from Battle

Creek, MI, once item has been removed, and any/all charges are paid in full

Additional General Information and Instructions (DRMS Form 82-3 May 89 EF)

See DRMS pamphlet, *Sale by Reference, March 1994*, for General Information and Instructions 1 thru 17.

- 18. Submission of Bids.** Bids must be in the possession of the Sales Contracting Officer by the hour (exact time) specified for the bid opening. Bids must be submitted on the forms provided in this Invitation. Forms must be typewritten or prepared in ink or indelible pencil, and signed by the person submitting the bid. Envelopes containing the bids must be sealed and identified by the name and address of the bidder, the number of the sale, and the date and hour of the bid opening. (See following format.)

<p>NAME _____</p> <p>ADDRESS _____</p> <p>CITY ST ZIP _____</p> <p style="text-align: center;">Defense Reutilization & Marketing Service Bid Room, National Sales Office 74 Washington Ave N. BATTLE CREEK, MI 49017-3092</p> <p>SALE NUMBER: 38-4626 BID OPENING DATE: January 27, 2004 @ 9:00 A.M. (EST/EDST) BIDDER IDENTIFICATION NUMBER: 300-FILL-IN-YOUR-NUMBER</p>	<div style="border: 1px solid black; padding: 5px; width: 80px; margin: 0 auto;"> POSTAGE REQUIRED </div>
--	--

19. Bids may be submitted via:

- A. U.S. Mail-Users of the U.S. Postal Service (including USPS Express Mail)
- B. Express Mail/Hand Carried Bids-Users of Express Mail Services and hand carried bids.
- C. Electronic Method-Instructions for on-line bidding at <http://www.drms.dla.mil>

Bids submitted by telegram, facsimile, electronic mail (Internet) or mailgram must be specific as to sender and content, to include name and title of sender, complete firm name (if other than an individual), complete address, telephone number, invitation for bid number, item number on which the bid is submitted, unit price and total price and amount.

20. Telephonic bids will not be accepted on this sale.

21. All bids must be addressed and mailed or delivered to:

Defense Reutilization and Marketing service
 Bid Room, National sales Office
 74 Washington Ave N
 Battle Creek, MI 49017-3092
 Facsimile Number (269)961-7658

22. All Payments must be addressed and mailed or delivered to:

Defense Reutilization and Marketing service
 ATTN: Cashier
 74 Washington Ave N
 Battle Creek, MI 49017-3092
 Facsimile Number(269)961-7314

- 23. Personal Checks:** Personal checks will be accepted for payments of debts, interest, liquidated damages, overages and storage charges, for amounts of \$25.00 or less. Make checks payable to the U.S. Treasury.

- 24. Facsimile Notification of Award:** The bidder may request facsimile notification or award by checking the appropriated block on the Item Bid Page. When requested by the bidder, facsimile notification will be sent simultaneously with the mailing of the contract and will include the contract number and item(s) awarded.

- 25. Disposal Notification to All Purchasers and Sub-Purchasers:** The use, disposition, export and reexport of this property is subject to all applicable U.S. laws and regulations, including the Arms Export Control Act (22 CFR 2751 et seq.); the Export Administration Act of 1979 (560 U.S.C. App. 2401 et seq.); International Traffic in Arms Regulations (22 CFR 120 et seq.); Export Administration Regulations (15 CFR 730 et seq.); Foreign Assets Control Regulations (31 CFR 500 et seq.); and the Espionage Act (37 U.S.C. 791 et seq.) which among other things, prohibits:
- a. The making of false statements and concealment of any material information regarding the use or disposition, export or reexport of the property, and
 - b. Any use or disposition, export or reexport of the property which is not authorized in accordance with the provisions of this agreement.
- Before any export or reexport of this property is attempted, contact the Office of Defense Trade Controls, Department of State and the Bureau of Export Administration, Department of Commerce for export licensing requirements.

ADDITIONAL GENERAL INFORMATION AND INSTRUCTIONS - SEALED BID – CONTINUED

26. **EXCHANGE SALE:** This property is being offered in accordance with the exchange/sale provisions of Section 201(c) of the Federal Property and Administrative Services Act of 1949 Stat.384 as amended (40 U.S.C.481c).
27. **RELEASE OF MATERIALS:** If purchaser wishes to release material to a carrier or agent, it is requested a written release be furnished prior to release of material.
28. **CALENDER SENSITIVE (YEAR 2000) EQUIPMENT:** The year 2000 (Y2K) technology problem, also known as the millennium bug, is the inability of some computers and computerized systems/equipment to correctly recognize dates after 1999. Computers and other calendar-sensitive property turned in by the Department of Defense and other authorized generators are not immune to this problem. In most cases, it is impossible to identify what will be affected and what will not be without extensive testing. Bidders are notified that the condition of the property, as expressed in item descriptive data, is based on visual inspection that is not adequate to determine year 2000 compatibility.
If you have an interest in any property that may be affected by the Y2K technology problem, you should contact the manufacturer or check the manufacturer's web site to see if any information is available regarding the property's year 2000 compatibility. You may visit the General Service Administration's Year 2000 web site at the following internet address: [http:// www.itpolicy.gsa.gov/mks/yr2000/y2home.htm](http://www.itpolicy.gsa.gov/mks/yr2000/y2home.htm) or you can also obtain information from the Federal Year 2000 Information Center at 1-888-872-4925.

NOTICE:

Bids on this sale will be processed by automatic data processing equipment under a system, which is not capable of evaluating combination bids. Accordingly, qualified, tie-in, all-or-none or any other combination or floating bids will be rejected. BIDDERS MUST submit a distinct individual price for each item bid upon in order for their bids to be considered for award

NOTICE:

High bids on Demil B or Q items, where an End Use Certificate is required, are taking 60 to 120 days (or longer) to clear Trade Security Control, part of the Department of Commerce. To ensure you don't lose the right to the property, during the clearance process, please enter "60" or leave blank the portion of Standard Form 114, Item Bid and Award Page, which states, "In compliance with the above, the undersigned offers and agrees, if this Bid is accepted within ____ calendar days...to pay for and remove the property." **We are unable to extend Bid Acceptance Periods of less than 60 days.** Failure to leave this line blank or specifying less than 60 days may cause you to lose the right to the property.

Supply Condition Codes

Code	Title	Definition
A	Serviceable (issuable without qualification)	New, used, repaired, or reconditioned material which is serviceable and issuable to all customers without limitation or restriction. Includes material with more than 6 months' shelf life remaining.
B	Serviceable (issuable with qualification)	New, used, repaired, or reconditioned material which is serviceable and issuable for its intended purpose but which is restricted from issue to specific units activities, or geographical areas by reason of its limited usefulness or short service life expectancy. Includes material with 3 through 6 months' shelf life remaining.
C	Serviceable (priority issue)	Items which are serviceable and issuable to selected customers, but which must be issued before Condition A and B material to avoid loss or as a usable asset. Includes material with less than 3 months shelf life remaining.
D	Serviceable (test/ modification)	Serviceable material which requires test, alteration, modification, con version, or disassembly. (This does not include items which must be inspected or tested immediately prior to issue.)
E	Unserviceable (limited restoration)	Material which involves only limited expense or effort to restore to serviceable condition and which is accomplished in the storage activity where the stock is located.
F	Unserviceable (reparable)	Economically reparable material which requires repair, overhaul, or reconditioning (includes reparable items which are radioactively contaminated).
H	Unserviceable	Material which has been determined to be unserviceable and does not meet repair criteria, (includes condemned items which are radioactively contaminated).

Demilitarization Codes/Requirements

A DEMIL customer service helpline at 1-888-352-9333 is available 8:00-5:00 EST/EDST to address any demilitarization problems or concerns.

Code	Explanation
A	Non-MLI/Non-CCLI. Demilitarization not required.
B	MLI (NON-SME). Demilitarization not required. Trade Security Controls (TSC) required at disposition.
G	MLI (SME). Demilitarization required - AEDA. Demilitarization, and if required, declassification and/or removal of sensitive markings or information will be accomplished prior to physical transfer to a DRMO. This code will be used for all AEDA items, including those which also require declassification and/or removal of sensitive markings or information.
Q	CCLI. Commerce Control List Item – Demilitarization not required. CCLI are dual-use (military, commercial, and other strategic uses) items under the jurisdiction of the Bureau of Export Administration, U.S. Department of Commerce, through the Export Administration Regulations. The types of items under the Commerce Control List (CCL) are commodities (i.e., equipment, materials, electronics, propulsion systems, etc.), software, and technology. The CCL does not include those items exclusively controlled by another department or agency of the U.S. Government.

Conditions of Sale (DRMS Form 83 Jan 98 Computer Generated)

The General Information and Instructions and General and Special Conditions of Sale are hereby incorporated by reference and become a part of this Invitation for Bids and any contract resulting from acceptance of bid submitted pursuant to this Invitation for Bids as fully as though such Instructions, Term and Conditions had been specifically set forth herein. The Instructions, Term and Conditions are contained in Defense Reutilization and Marketing Service pamphlet entitled *Sale by Reference - Instructions, Terms and Conditions Applicable to Department of Defense Personal Property Offered for sale by Defense Reutilization and Marketing Service dated March 1994*, and may be obtained from the DRMS Web site, www.dla.mil/drms or upon request from the DRMS National Sales Office, 74 Washington Ave. N, Battle Creek, MI 49017-3092. Copies are available through any activity of the Defense Reutilization and Marketing Service.

The specific Instructions, Terms and Conditions applicable to this sale are as follows:

DRMS pamphlet *Sale by Reference, March 1994*:

- Part 1: **General Information and Instructions** (DRMS Form 81, Oct 93): Complete except: Condition 6 should read: Any sale or use tax imposed by any state, country or political subdivision will be paid by the Purchaser.
- Part 2: **General Sale Terms and Conditions** (Standard Form 114C, Jun 86 ed., and DRMS Form 84, Oct 93). All Conditions.
- Part 3: **Special Sealed Bid Conditions** (Standard Form 114C-1, Jan 70 ed., and DRMS Form 99, Oct 93). All Conditions. Except E.
- Part 5: **Additional Special Circumstance Conditions - Miscellaneous** (DRMS Form 86, Oct 93). As specified in item description.
- Part 6: **Additional Special Circumstance Conditions- Demilitarization and Mutilation** (DRMS Form 95 Oct 93). As specified in item description.
- Part 7: **Additional Special Circumstance Conditions - Hazardous and Dangerous Property** (DRMS Form 98, Oct 93). As specified in item description.

IN ADDITION TO THE ABOVE, THE FOLLOWING IS ALSO INCORPORATED AS PART OF THIS SALE:

Articles

ARTICLE B01: BID DEPOSITS AND PAYMENTS

(a) A bid deposit is not required on this sale. Full payment is required prior to removal in accordance with DRMS Pamphlet, Sale by Reference, March 1994, Part 2, Condition 6.

(b) All bid deposits and payments, including those for storage charges, liquidated damages, and interest, must be in the form of cashier's check, certified check, traveler's check, bank draft, money order, cash or credit card (Mastercard, Visa, Discover Card, American Express only). Make checks payable to U.S. Treasury. When a credit card is used as payment, the credit card number, the name as printed on the credit card, and the expiration date must be provided. If more than one credit card is used, the bidder must identify the exact monetary amount to be applied against exact credit card. Bidders whose payment is accompanied by a letter of credit, or who have on file an approved bid bond (SF150 or SF 151) may make payments by uncertified personal or company checks, but only up to an amount equal to the penal sum of their bond or the amount of their letter of credit.

(c) If, for any reason, a bidder's uncertified check is not honored for payment by the payees bank upon initial presentment for payment, the Government may, after notifying the bidder, require the bidder to make all future payments by cash, cashiers check, certified check, traveler's check, bank draft or money order.

(d) Successful bidders that wish to make payment via credit card for property awarded via credit card can do so by providing language substantially as follows:

I (WE) AUTHORIZED THE SALES CONTRACTING OFFICER TO OBTAIN PAYMENT BY CREDIT CARD FOR ANY ITEMS I AM (WE ARE) AWARDED ON THIS SALE.

Any necessary adjustments in accordance with condition of sale entitled "Adjustment or Variation in Quantity or Weight" will be applied to the card as a debit or credit.

(e) Personal checks will be accepted for payment of debt interest, liquidated damages, overages and storage charges for amounts of \$25.00 or less.

(f) All payments should be addressed and mailed or delivered to:
 Defense Reutilization and Marketing Service
 Attn.: Cashier
 74 North Washington Ave.
 Battle Creek, MI 49017-3092

Credit card payments may be faxed to: (269)961-7314

ARTICLE B07: CHANGE IN CONTRACT CLAUSES:

The terminology "Strategic List" and "SLI" appearing in Article J: STRATEGIC LIST ITEMS (SLI) and Article K: MUNITIONS AND STRATEGIC LIST ITEM (mli/sli) COMPLIANCE found at Part 5 of the sale by reference pamphlet dated March 1994 is deleted and "Commerce Control List" and "CCLI", respectively, is substituted therefore. All other language remains unchanged and in full force and effect.

ARTICLE B27: HOLD HARMLESS CONDITION

The purchaser shall hold and save the Government and its personnel free and harmless from liability of any nature or kind occasioned by operations of the purchaser on Government premises.

ARTICLE KC: ILLICIT ACTS

During the performance of the contract awarded, the purchaser agrees to assume full responsibility for any illicit act committed by his assigned agents and/or employees while such personnel are within the confines of the U.S. military installation or any area involved in the performance of such contract. For the purpose of this condition of sale, illicit acts include, but are not limited to, commission of fraud, theft, bribery, receiving stolen property, and any other alleged offense not specifically indicated. Therefore, the purchaser agrees to ensure complete supervision over such personnel who are engaged in the performance of any contract awarded. Violation of above requirement by the purchaser and/or agents may result in temporary suspension or permanent debarment of the contractor.

ARTICLE SA: STORAGE CHARGES/LATE REMOVAL CHARGES

Notwithstanding Part 2, Condition 28, if the Purchaser fails to remove the property within the time limits specified for removal, or within any extension of time which may have been granted by the Sales Contracting Officer, pursuant to Condition No. 8, General Sales Terms and conditions (Standard Form 114C), charges at the following rate(s) per day, per item, excluding Saturdays, Sundays and Federal Holidays.

<u>ITEM NUMBERS</u>	<u>RATE PER DAY</u>
1-130	\$10.00
131-133	\$50.00

Inspection Dates and Times

January 20- January 23, 2004
(Tuesday through Friday ONLY!)
Hours are: 10:00 A.M.-2:00 P.M. (EST/EDST)

Inspection Notes:

Items 1 –133 Tuesday through Friday **only**. From BWI Airport, Baltimore: Take I-195 North (Baltimore Washington Parkway). Bear right onto 695 East (Baltimore Beltway). Take exit for 2 South (Route 10). Take first exit (Ordnance Road East). Go approximately 100 yards (2nd light) and turn right into "Bay Meadow Business Park", onto Bay Meadow Drive. Follow to the 4th building on the right under the blue tower. Address on building is 6730 Bay Meadow Drive.

Loading Table

Time for Removal

(See DRMS pamphlet, "Sale by Reference, March 1994, Part Z, Condition no. 8, Standard Form 114C)

The removal period is established on the basis that a written notice of award will be made by January 30, 2004.

Should the written notice of award on any item(s) not be made by the above date, an appropriate allowance will be made in the date of removal for such items.

Property must be removed: (Items 1 thru 133)-no later than February 12, 2004.

LOADING LEGEND

I GOVERNMENT WILL LOAD

- (a) Rail
- (b) Truck or Trailer

II GOVERNMENT WILL LOAD-OPEN TOP CONVEYANCE ONLY

- (a) Rail
- (b) Truck or Trailer

III PURCHASER MUST LOAD (NO GOVERNMENT ASSISTANCE)

- (a) Rail facilities available adjacent to property
- (b) Rail facilities available on the installation but remote from property
- (c) No rail facilities available

IV OTHER

ITEM	LOADING LEGEND
001-133	IIIc

Loading Notes

ITEM (S) 1 – 133 Removals must be made: February 9-12, 2004, between 10:00 A.M. to 2:00 P.M. (EDT).

Follow directions set forth in Inspection Notes. Show drivers license, current registration, and proof of insurance along with a paid copy of DRMS Form 1427, Notice of Award Statement and Release Document to obtain pass. A DRMS Form 1646, Letter of Authorization, is also required for anyone other than Purchaser, for property release. **A 24-hour notice is required prior to removal of property.** Point of contact is Mike Drexel. Telephone (443) 479-2817 or pager 1-800-759-7243 #1776473.

Common Carriers and Packing Concerns: A list of Common Carriers and Packing Concerns servicing this geographic area is available upon request from the Sales Contracting Officer (SCO). This list may not include every provider of service. The Government assumes no responsibility or liability for services furnished by any firms listed, nor does the Government endorse the use of or business practices of any listed business.

Sale of Government Property Item Bid and Award Page

Address your bid to: Defense Reutilization and Marketing Service Bid Room, National Sales Office 74 Washington Ave., North Battle Creek, MI 49017-3092 Sale No. 38-4626	Bids will be opened at: Defense Reutilization and Marketing Service DRMS-BU, National Sales Office 74 Washington Ave., North Battle Creek, MI 49017-3092 Date: January 27, 2004 at 9:00 A.M. EST/EDST
--	--

Bids will be publicly opened on the date and time specified, subject to:

1. TERMS AND CONDITIONS
 - General Sale Terms and Conditions, SF 114C, Jun. 86 ed.; and
Special Sealed Bid Conditions, SF 114C-1, Jan.1970 ed
 - Terms/conditions incorporated herein by reference;
 - Special terms/conditions incorporated into the Invitation for Bid;
2. PAYMENT REQUIREMENTS
 - Bidder is required to pay for any or all of the items listed on the Item Bid Page(s) at the price bid for each item, in accordance with Article B01.

BID (This section to be completed by the Bidder)

In compliance with the above, the undersigned offers and agrees, if this Bid is accepted within _____ calendar days (60 calendar days if no period is specified by the Government or the Bidder, but not less than 10 calendar days) to pay for and remove the property. The total amount is \$_____.

THE BIDDER (Check appropriate boxes)

1. has, has not inspected the property on which the bid is submitted.
2. is, is not, an individual or a small business concern. (See CFR, Title 13, Chapter 1, Part 121, Sec. 121.3-9 for the definition of small business.)

Complete the following only if the total amount of the bid(s) exceeds \$25,000.

- 3a. has, has not, employed or retained any company or person (other than a full-time, bona fide employee working solely for the Bidder) to solicit or secure this contract, and
- 3b. has, has not, paid or agreed to pay any company or person (other than a full-time, bona fide employee working solely for the Bidder) any fee, commission, percentage or brokerage fee, contingent upon or resulting from the award of this contract; and agrees to furnish information relating to (a) and (b) above as requested by the Contracting officer, (For interpretation of the representation, including the term "bona fide employee", see CFR, TITLE 41, SUBPART 101-45.3.)

Name and address of bidder (Street, City, State, and Zip Code) (type or print) – (MUST be same on envelope) Telephone number: Bidder identification no. (If applicable) 300	Signature of person authorized to sign this bid	
	Signers name and title (type or print)	Date Of Bid

Acceptance by the Government (This section for Government use only)

Accepted as to item(s) numbered (For acceptance information see DRMS Form 1427attached)	United States of America By: (Contracting Officer)	Date of Acceptance
Total Amount	Contract Number(s)	Name and Title of Contracting Officer

Credit Card Information

Please note

Effective immediately, if you use a credit card for payment and, at the time of processing, it is declined by the bank, you will be advised, in writing, that your credit card will no longer be accepted for a period of one (1) year. Fraudulent use of credit cards will result in your being recommended for debarment from the DRMS sales program.

If a credit card is to be used as a payment, complete the following information and return this sheet with your bid, or AFTER AWARD, facsimile this completed page to (269) 961-7314. Be sure to include your contract number.

(Please type or legibly print information)

First Name: _____ Last Name: _____

Company Name: _____

Card Holder Name: _____

Address: _____

City: _____ State: _____ Zip Code: _____ - _____

Master Card () Visa () Discover () American Express ()

Credit Card Number: _____

Expiration date: Month _____ Year _____

I (we) authorize the sales contracting officer to obtain payment by credit card for any items I am (we are) awarded on this sale.

Authorized Signature

Date

<p style="text-align: center;">LETTER OF AUTHORIZATION <i>(Prescribing authority: DRMS-H 4160.3. Volume 1)</i></p>	<p>TO: _____</p>
<p>I, _____ the undersigned, hereby authorize _____ to <small>(PRINT NAME)</small> <small>(PRINT NAME)</small> act as my agent on Contract _____ with respect to the items listed below and for the purpose indicated by check mark in the boxes provided under “Extent of Authority”.</p>	
<p>EXTENT OF AUTHORITY</p>	<p>LIST ITEM(S)</p>
<p><input type="checkbox"/> Make payment.</p> <p><input type="checkbox"/> Make payment and remove property.</p> <p><input type="checkbox"/> Remove Property.</p> <p><input type="checkbox"/> Perform work required under the contract</p> <p><input type="checkbox"/> Accept and sign for deliveries above or below the quantity variations allowed under the contract.</p> <p><input type="checkbox"/> Sign certifications required prior to Government’s permitting release of property.</p> <p><input type="checkbox"/> Other (specify): _____</p>	
<p>SIGNATURE OF PURCHASER</p>	<p>DATE</p>

DRMS FROM 1646, APR 2002 (EF) (Previous Edition May be used Until Exhausted)

BEFORE YOU BEGIN, READ THE FILLER HELP PROVIDED UNDER FILE/FORM INFO. THEN PUT YOUR CURSOR IN THE RED BOX AND CLICK ON F1 FOR SOME ADDITIONAL INFO.



IFB/CONTRACT/OFFER/SF122/SF123 ORDER NO.

END-USE CERTIFICATE (STATEMENT REGARDING DISPOSITION AND USE OF PROPERTY) (Please read Privacy Act Statement on reverse before completing this form. If additional space is required, use separate sheets and identify by Block Number.)		FOR AGENCY USE ONLY				Form Approved OMB No. 0704-0382 Expires Dec 31, 2004	
		TSC CLD	PRIMARY PURCHASER	SUB-PURCHASER			
TYPE OR PRINT ALL INFORMATION		YES		1	2	3	4
		NO					
<p>The public reporting burden for this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to DoD, Washington Headquarters Services, DIOR (0704-0382), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to either of these addresses. RETURN COMPLETED FORM TO THE OFFICE STATED ON THE IFB, SOLICITATION OR PROPOSAL.</p> <p>INSTRUCTIONS. This form must be fully completed by all applicants for Munitions List Items (MLI)/Commerce Control List Items (CCLI) prior to acceptance by the U.S. Government and constitutes an integral part of this bid. The information given must be true and correct and will become a part of this contract. Every block MUST have an entry. If necessary, insert "NONE," "SAME AS BLOCK X," or "NOT APPLICABLE" (do not use "N/A"). If the applicant is acting solely as an Agent, a DLA Form 1822 must be signed by the Principal. The term Approving Official is used to indicate the person authorized to act for the U.S. Government (Sales Contracting Officer, Plant Clearance Officer, or other designated individual). FOR ALL SALES OF PROPERTY APPROVED BY PLANT CLEARANCE OFFICERS, UPON THE REMOVAL OF THE PROPERTY, ALL DOCUMENTATION REQUIRED BY THIS FORM WILL BE FORWARDED TO THE IDENTIFIED TRADE SECURITY CONTROL OFFICE.</p> <p>The following applies to all property subject to sale using this form: the use, disposition, export, or re-export of this property, is subject to the publications, penalties, and other provisions of the economic programs administered by the Office of Foreign Assets Control, U.S. Treasury Department, 31 CFR Chapter V.</p>							
THIS STATEMENT IS SUBMITTED IN CONNECTION WITH: <input type="checkbox"/> SALE <input type="checkbox"/> EXCHANGE <input type="checkbox"/> OTHER:				LINE ITEM NUMBER/COMMODITY			
NAME (Last, First, Middle)				SSN/ALIEN CARD NO./COUNTRY ID			
DATE OF BIRTH (MM/DD/YY)		PLACE OF BIRTH (City or County, State, Country)			TELEPHONE NUMBER (Include Area Code)		
MAILING ADDRESS				PHYSICAL ADDRESS			

SECTION I. GENERAL INFORMATION

APPLICABILITY. This statement applies to the property for which we have submitted our bid/offer pursuant to the above identified invitation.

1. TYPE OF FIRM <input type="checkbox"/> SOLE PROPRIETORSHIP <input type="checkbox"/> PARTNERSHIP <input type="checkbox"/> CORPORATION <input type="checkbox"/> OTHER (Specify):					
2. NATURE OF END-USER'S BUSINESS		3. NATURE OF PRINCIPAL'S BUSINESS		4. FIRM'S ID/FEDERAL TAX NUMBER	
5. BUSINESS/CORPORATION HEADQUARTERS			6. BRANCH OFFICE		
A. NAME			A. NAME		
B. ADDRESS (Physical location)			B. ADDRESS (Physical location)		
7. ALL CORPORATE OFFICERS, PARTNERS AND/OR AGENTS ARE TO PROVIDE, ON SEPARATE SHEETS OF PAPER, THEIR NAMES, ADDRESSES, SSNs, DATES AND PLACES OF BIRTH. FAILURE TO PROVIDE THIS INFORMATION COULD RESULT IN SIGNIFICANT DELAY OR DENIAL OF THE AWARD.					

SECTION II. END USE/USER INFORMATION. If this is a negotiated exchange, identify the property being exchanged: _____

1. PURPOSE. THE PROPERTY REFERRED TO IN ABOVE IFB/OFFER NUMBER WILL BE UTILIZED FOR THE FOLLOWING: Enter and "X" in the appropriate item(s) below. In the case of resale, Item 1.F. or 1.G. MUST be marked.		
<input type="checkbox"/> A. Retention for the following specific use (see note):	<input type="checkbox"/> B. Resold in the form received for the following use (see note):	<input type="checkbox"/> C. The property will not be sold or otherwise disposed of for use outside of the United States or to non-U.S. Citizens/Nationals in the United States.
<input type="checkbox"/> D. The property may be re-exported in the form received to the following country/countries:	<input type="checkbox"/> E. Resale after following alteration (description of final production): _____ in (Country/Countries): _____ and distribution in (Country/Countries): _____	<input type="checkbox"/> F. If sold, name, address, and telephone number of sub-purchaser(s):
<input type="checkbox"/> G. The customers are unknown at this time. If required by the contract/transfer document, I will obtain prior written approval for the resale of any of the property covered by this contract.		
ADDITIONAL INFORMATION: State any other material facts relating to end user and use of the property which may be of value in considering the proposal:		

NOTE: Example of specific uses: AIRCRAFT. The bidder/recipient certifies that the aircraft will be used: as a flyable aircraft; as a non flyable aircraft to be used only for parts, display, or ground instruction, etc.; for resale as a flyable aircraft.

SECTION III. UNDERSTANDING AND NOTIFICATIONS

1. The use, disposition, export and re-export of this property is subject to all applicable U.S. Laws and Regulations, including but not limited to the Arms Export Control Act (22 USC 2751 et seq.); Export Administration Act of 1979 (50 USC App. 2401 et seq.) as continued under Executive Order 12924; International Traffic in Arms Regulations (22 CFR 120 et seq.); Export Administration Regulations (15 CFR 730 et seq.); Foreign Assets Control Regulations (31 CFR 500 et seq.) and the Espionage Act (18 USC 793 et seq.); which, among other things, prohibit:

A. The making of false statements and concealment of any material information regarding the use or disposition, export or re-export of the property and

B. Any use, disposition, export or re-export of the property not permitted by applicable statute and regulation.

2. The submission of false or misleading information and/or concealment of any material facts regarding the use, disposition or export of this property may constitute a violation of provisions of 18 USC 793/1001, 22 USC 2778/2779, 50 USC App. 2410, and 50 USC App. 1-44. Sanctions for violations will be in conformity with U.S. laws and regulations (including Federal Acquisition Regulations and DoDD 2030.8) and may include the denial of U.S. export privileges and of any participation in future U.S. Government contracts.

3. Transfers of MLI and CCLI property by purchasers/bidders are subject to the requirements of the appropriate licensing department or agency. In many cases, an export license or other authorization may be required. With respect to MLI, registration of the purchaser's/bidder's business with the Department of the State may also be required. It is the responsibility of the purchaser/bidder to determine what the applicable requirements may be and to obtain all necessary authorizations or

4. When MLI/CCLI property is transferred, the information in this form regarding the above laws and regulations must be passed to the subsequent purchaser/receiver. Records of Resale in buyer's possession should be available for Trade Security Controls Office review, if requested.

5. The Invitation For Bid and Sale/Exchange Contract number can be referenced when submitting an application for an export license or other authorization to the Department of State for MLI or Department of Commerce for CCLI.

6. The Government expects the Purchaser/Recipient to cooperate with all authorized Government representatives to verify the existence and condition of MLI/CCLI.

SECTION IV. CERTIFICATION STATEMENT TO BE SIGNED BY BIDDER AT TIME OF RESPONSE TO IFB

1. I do certify that all information given in this Statement Regarding Disposition and Use of Property is true and correct to the best of my knowledge and belief and have not knowingly omitted any information which is inconsistent with this statement. I understand this statement will be referred to and be a part of the contract of sale/exchange with the U.S. Government. I agree to submit a written request for amendment of this statement to the Approving Official prior to effecting any change of fact or intention from that stated herein or in any prior amendment, whether occurring before or after the release of the commodities, and not to effect such changes without first receiving written approval of the Approving Official.

2. I acknowledge having been advised that the MLI/CCLI property I purchased is controlled by the U.S. Government and in many cases cannot be transferred (exported, sold or given) to a foreign country, a non-U.S. Citizen/National or a non-Permanent US Resident without a valid State/Commerce Department export authorization. Should I transfer this property to a foreign country, a non-U.S. Citizen/National or a non-Permanent US Resident, I will obtain any required authorization before making such transfers. I will not transfer this property to countries, regimes and nationals targeted under the sanctions program administered by the U.S. Treasury Department's Office of Foreign Assets Control.

3. Neither the applicant, corporate officers, directors or partners is:

A. The subject of an indictment for or has been convicted of violating any of the U.S. Criminal statutes enumerated in 22 CFR 120.27 since the effective date of the Arms Export Control Act, Public Law 94-329, 90 Stat. 729 (June 30, 1976) ; or

4. The person signing this DLA Form 1822 is:

a Citizen of the United States of America, or

lawfully admitted to the United States for Permanent Residence and maintains such residence under the Immigration and Nationality Act, as amended (8 USC 1101(a), 20, 60 Stat. 163) , or

a Citizen of _____, and/or

is an official of a foreign government entity in the United States.

A. NAME (Type or print)	B. SIGNATURE	C. DATE SIGNED
-------------------------	--------------	----------------

PRIVACY ACT STATEMENT

AUTHORITY: 10 USC 136; 40 USC 471; 50 USC 2411; 22 USC 2751; and EO 9397.

PRINCIPAL PURPOSE(S): Determine applicant eligibility to participate in the program and ensure that property recipients comply with the terms of the sale.

ROUTINE USES: Data may be disclosed to the Departments of State, Commerce, Treasury, Transportation and Justice for determining compliance with applicable laws and regulations and to the General Services Administration to determine presence of debarment proceedings against a recipient.

DISCLOSURE: Voluntary; however, failure to provide the requested information may result in ineligibility to receive surplus or foreign personal property. DLA PRIVACY ACT SYSTEM NOTICE S800.10 DLSC APPLIES - SEE THIS NOTICE FOR FURTHER INFORMATION.

INSTRUCTIONS FOR COMPLETING DLA FORM 1822, END-USE CERTIFICATE (12/14/01)

All individuals wanting to acquire Department of Defense surplus property, identified as Munitions List Items (MLI) or Commerce Control List Items (CCLI), are required to fully complete this End-Use Certificate (EUC), DLA Form 1822. It is your responsibility to fully and accurately complete this form. The use of "home made" EUCs is discouraged because they are not covered under the Paperwork Reduction Act. Due to the critical nature of this document, failure to comply with any of these instructions and/or accurately provide the required information will result in this EUC being deemed unacceptable and will cause significant delay or denial in obtaining the Trade Security Control (TSC) clearance required to receive MLI/CCLI property.

All entries must be typed or clearly printed. When providing the required information and additional space is needed, the use of a separate sheet of paper is acceptable. At the top of each additional sheet of paper you must place your name and the IFB/Contract no./Offer No./Standard Form-122/Standard Form-123 Order No. You must also cite the appropriate block number(s) and/or letter(s) for each entry.

Every block on the EUC must have an entry. If the information being requested does not apply to your situation, the only entries which will be acceptable are: "NONE", "DOES NOT APPLY", or "NOT APPLICABLE" (do not use N/A, N/R or draw a line). If you have to repeat information that was previously entered in another block, cite the SECTION, block number and/or letter; i.e., "SAME AS SECTION 'X', BLOCK 'X'". The Approving Official (Sales Contracting Officer, Plant Clearance Officer, or other designated individual) will review the EUC for completeness and accuracy.

PAGE 1

AT TOP OF PAGE IFB/CONTRACT/OFFER/SF122/SF123 ORDER NO:

Enter the number (if not pre-printed) of the Invitation For Bid (IFB), contract/offer, proposal number, order number, etc. that is used to identify the specific sale or exchange.

1. THIS STATEMENT IS SUBMITTED IN CONNECTION WITH:

Place and "X" in the block that best identifies the type of transaction you are entering into:

- SALE - purchasing property from the Defense Reutilization and Marketing Service or the Defense Contract Management Agency.
- EXCHANGE - an agreement with a Military Service Museum to exchange property for agreed upon property or /services.
- OTHER - for those transactions which are not a sale or exchange and where title to property may or may not pass from government control.

2. LINE ITEM NUMBER/COMMODITY:

Enter the line item number for each MLI/CCLI item you are interested in acquiring.

For negotiated exchanges, or other types of transactions, enter the name or nomenclature of the property which you will be receiving upon completion of the negotiations.

3. NAME (Last, First, Middle): This should be the name of the individual who signing this form. Please print/type your complete legal name legibly. Provide last name, complete first name (initials for first name will not be accepted) and middle name (if any). If you do not have a middle name, use NMN (No Middle Name). Include any other names ever used (i.e., maiden name, nicknames, acronyms, aliases, doing business as (DBA) and/or "also known as (AKA)" name(s).)

If an individual is bidding for themselves, that individual's name must be provided in this block.

If the bid is for a business, the individual authorized to sign this EUC must provide his/her name in this block.

4. SOCIAL SECURITY NUMBER (SSN)/ALIEN CARD NO./COUNTRY ID:

If the bid is for an individual, that individual's SSN must be provided in this block.

If the bid is for a business, the individual signing this EUC must provide their SSN in this block.

If the bid is in the name of a Permanent Resident, enter your Alien Identification Number.

If the bid is in the name of a Non-U.S. Citizen/National, non-Permanent Resident acting for a foreign government, enter your Country Identification Number

5. DATE OF BIRTH (DoB): Enter DoB as Month/Day/Year (MM/DD/YYYY).

If the bid is for an individual, that individual's Date of Birth must be provided in this block.

If the bid is for a business, the individual signing this EUC must provide their Date of Birth in this block.

6. PLACE OF BIRTH (City or County, State, Country): City/County name must be spelled out. Only the two-letter or standard abbreviation for the State or Country is acceptable.

If the bid is for an individual, that individual's Place of Birth must be provided in this block.

If the bid is for a business, the individual signing this EUC must provide their Place of Birth in this block.

7. TELEPHONE NUMBER: (Include Area Code).

If the bid is for an individual, that individual's telephone number (including Area Code) must be provided in this block.

If the bid is for a business, the individual signing this EUC must provide their telephone number (including Area Code) in this block.

8. MAILING ADDRESS: Enter complete mailing address. Street and City names must be spelled out; abbreviations are unacceptable. Post Office Box is acceptable. The two-letter or standard abbreviation for the State or Country is acceptable.

If the bid is for an individual, that individual's mailing address must be provided in this block.

If the bid for a business, the business's mailing address must provide in this block.

9. PHYSICAL ADDRESS: Enter complete physical address. Street and City names must be spelled out; abbreviations are unacceptable. The two-letter or standard abbreviation for the State or Country is acceptable. Entering Post Office Box is not acceptable.

If the bid is for an individual, that individual's physical address (Street, City, State, Zip) must be provided in this block. If the physical address is the same as mailing address (not a Post Office Box), enter "Same as MAILING ADDRESS".

If the bid is for a business, the business's physical address (Street, City, State, Zip) must be provided in this block. If the physical address is the same as mailing address (not a Post Office Box), enter "Same as MAILING ADDRESS".

SECTION I. GENERAL INFORMATION

10. BLOCK 1. TYPE OF FIRM:

If the bid is for an individual, enter "Not Applicable".

If the bid is for a business, check the box that most closely describes the organization:

- "Sole Proprietorship" = solitary owner/independent control
- "Partnership" = two or more persons contractually associated as joint principals in a business with joint rights and responsibilities.
- "Corporation" = an association or group of individuals united in trade or similar interests that has filed Articles of Incorporation.
- "Other" = (The signer of this EUC must check "Other" and specify affiliation with official bidder.)
 - = Principal (Person having controlling authority)
 - = Agent (Person acting for or in place of another by authority from him).

If the "Type of Firm" is a corporation, provide the state in which the Articles of Incorporation were filed. The two-letter standard abbreviation for the state or country is acceptable.

11. BLOCK 2. NATURE OF END-USER'S BUSINESS:

This should best describe the type business/interest of the ultimate end-user.

12. BLOCK 3 - NATURE OF PRINCIPAL'S BUSINESS

This should best describe the type business/interest of the official bidder.

13. BLOCK 4 - FIRM'S ID/FEDERAL TAX NUMBER:

If the bid is in the name of an individual, enter "Not Applicable".

If the bid is in a company's name and that company does not have a Federal Tax Number but is using some other form of tax identifying number (i.e., a personal SSN) list that number and specify (i.e., SSN registered to (provide name)).

BLOCK 5 - BUSINESS/CORPORATION HEADQUARTERS

14. BLOCK 5A - NAME:

If bid is in the name of an individual, enter "Not Applicable".

If the bid is in a company's name, the individual signing this EUC must provide the official company headquarters name in this block (include aliases/acronyms/trade styles).

15. BLOCK 5B - ADDRESS:

Give full physical address. Street and City names must be spelled out; abbreviations are unacceptable. Only two-letter (or standard) abbreviation for State or Country is acceptable.

If the bid is in the name of an individual, enter "Not Applicable".

If the bid is in a company's name, the individual signing this EUC must provide the complete physical address of company headquarters. (Post Office Box is unacceptable).

BLOCK 6 - BRANCH OFFICE:

16. BLOCK 6A - NAME:

If the bid is in the name of an individual, enter "Not Applicable".

If the bid is in a company name, the individual signing this EUC must provide all official company branch name(s) in this block (include aliases/acronyms/trade styles).

If the official company branch and headquarters' names are the same, enter "Same as Block 5A".
 If the bid is in a company's name and there is no branch office for this company, enter "Not Applicable".

17. BLOCK 6B - ADDRESS: Street and City names must be spelled out; abbreviations are unacceptable. Only two-letter or standard abbreviation for State or Country is acceptable.

If the bid is in the name of an individual and there are no branch offices, enter "Not Applicable".

If the bid is in a company's name, the individual signing this EUC must provide the complete physical address (Street, City, State, Zip) of all company branch office(s). (Post Office Box is unacceptable).

If company's branch and headquarters offices use the same address, enter "Same as Block 5B"

If there are no branch offices, enter "Not Applicable".

18. BLOCK 7 - ON SEPARATE SHEETS OF PAPER, ATTACH THE NAMES, ADDRESSES, SSNs, DATES AND PLACES OF BIRTH OF CORPORATE

OFFICERS, PARTNERS AND/OR AGENTS.

Failure to comply will cause your transaction to be placed on hold or not considered.

If the bid is in the name of an individual, enter "Not Applicable".

If the bid is for a company, the required information for each of the Officers, Directors, and Partners is to be on separate sheets of paper.

SECTION II. END-USERS/USER INFORMATION

If this is a negotiated exchange, identify the item(s) you will be providing the government in this exchange:

BLOCK 1 - PURPOSE. THE PROPERTY REFERRED TO IN ABOVE IFB/OFFER NUMBER WILL BE UTILIZED FOR THE FOLLOWING:

Enter an "X" in the appropriate item(s) below. In the case of resale, item 1F or 1G must be marked in addition to any other item.

19. BLOCK 1A. RETENTION FOR THE FOLLOWING SPECIFIC USE (see note at bottom of page 1 of this form)

If property is being retained for official bidder's own use, explain intended use.

If statement in Block 1A does not apply, enter "Not Applicable" and go to Block 1B.

20. BLOCK 1B. Resold in form received for the following use (see note at bottom of page 1 of the form).

If property is being resold, give specific information about resale customer's intended use.

If statement in Block 1B does not apply, enter "Not Applicable" and go to Block 1C.

21. BLOCK 1C. The property will not be sold or otherwise disposed of for use outside of the U.S. or to non-U.S. Citizens/Nationals in the United States.

Check this box if applicable.

If statement in Block 1C does not apply, enter "Not Applicable" and go to Block 1D.

22. BLOCK 1D. The property may be re-exported in the form received to the following country/countries:

Check this box if applicable, and list the country(ies). Attach valid, current Department of State Registration (for export).

If statement in Block 1D. does not apply, enter "Not Applicable" and go to Block 1E.

23. BLOCK 1E. Resale after following alteration (description of final production):

Describe the altered product;

in (Country/Countries): List all countries where this product will be sold. (If necessary use a separate sheet of paper to list countries. Identify this as "BLOCK 1E" on the sheet of paper).

and distribution in (Country/Countries): List all countries where this product will be distributed. (If necessary use a separate sheet to list countries. Identify this as "BLOCK 1E" on the sheet of paper).

Attach valid, current Department of State Registration (for export).

If this statement does not apply to you, enter Not Applicable and go to Block 1G.

24. BLOCK 1F. If sold, name, address, and telephone number of sub-purchaser(s):

Provide the full name, physical address and telephone number of the individual/company that purchased the item(s).

If this block does not apply to you, enter Not Applicable.

25. BLOCK 1G. The customers are unknown at this time. If required by the contract/offer, I will obtain prior written approval for the resale of any of the property covered by this contract.

If this block does not apply to you, enter Not Applicable.

26. ADDITIONAL INFORMATION: State any other material facts relating to end user and use of the property that may be of value in considering the proposal:

If this block does not apply to you, enter Not Applicable.

PAGE 2
SECTION III - UNDERSTANDING AND NOTIFICATION

Please read carefully. This section cites the various laws and regulations you must comply with in the use of, disposition of and export of property.

SECTION IV - CERTIFICATION STATEMENT TO BE SIGNED BY BIDDER AT TIME OF RESPONSE TO IFB.

This section is self-explanatory. By signing and dating this form, you are certifying that all the information you are providing is true and correct and you understand and agree to all the provisions in this end use certificate. This form will become part of the contract.

26. PARAGRAPH 4. The person signing this DLA Form 1822 is:
Check the block that applies to you and fill out any applicable portion.

28. BLOCK A - NAME (Type or Print)
Be sure your name is legible.

29. BLOCK B - SIGNATURE Be sure to sign this form
If signer of EUC is Officer, Director, Partner, Principal, Agent, etc., for official bidder, provide title/authority.

30. BLOCK C - DATE SIGNED Be sure you date this form.